



- NOTES:**
- BUS SHELTER FOUNDATION & SUPERSTRUCTURE**
1. SHELTER SUPERSTRUCTURE SUPPLIED AND ERECTED BY JC DECAUX. MAIN CONTRACTOR UNDERTAKES ALL EXCAVATION, FOUNDATION, DUCTING & CONCRETE WORKS, & PROVIDE ASSISTANCE TO JC DECAUX AS REQUIRED.
 2. RE-BAR CAGE, BASE PLATES AND ASSEMBLY JIB WILL BE SUPPLIED BY JC DECAUX.
 3. 300mm WIDE LEVELLING PLINTH REQUIRED WHERE LONGITUDINAL SLOPE EXCEEDS 4%. 0-250mm IN HEIGHT. EXACT DIMENSION DETERMINED ON SITE. C30 / 37 CONCRETE & F3 SURFACE FINISH AS PER TII SPW 01700.
 4. MAIN CONTRACTOR TO PROVIDE: 24 No. 100mm x 215mm x 65mm CONCRETE STOCK BRICKS; AND 24 No. 215mm x 400mm x 100mm STANDARD CONCRETE BUILDING BLOCKS FRO EACH SHELTER LOCATION.
 5. REFER TO WORKS REQUIREMENTS FOR FURTHER INFORMATION.
- DUCTING & SERVICES**
6. ESB DUCTING SHALL BE ESB NETWORKS APPROVED RED 60/125mm Dia., AS INDICATED ON DRAWINGS. ALL LV SERVICE DUCTING SHALL BE 100mm Dia. RED PVC DUCTING.
 7. MAIN CONTRACTOR MUST SUPPLY ESB VC1 / 2 VAULTS, B125 COVERS & FRAMES; & DUCT MARKER POSTS.
 8. JC DECAUX WILL SUPPLY THE CUSTOMER SUPPLY MICRO-PILLAR & ASSOCIATED EARTH MAT ONLY.
 9. ESB NETWORKS WILL SUPPLY MINI-PILLARS. CONTRACTOR MUST SUPPLY & INSTALL ESB APPROVED EARTH MAT.
 10. ESB APPROVED 250mm YELLOW WARNING TAPE & 200mm RED MARKER STRIP TO BE PLACED ABOVE ALL DUCTS.
 11. ALL DUCTING SHALL BE LAID IN ACCORDANCE WITH THE ESB MV/LV DUCTING SPECIFICATION.
 12. EXISTING GAS, ELECTRICAL, TELECOMS, WATER, DRAINAGE & SEWERAGE UTILITIES SHOULD BE EXPECTED AT ALL SITES. CONTRACTOR IS RESPONSIBLE FOR LOCATING AND PROTECTING UTILITIES, AND IF NECESSARY, DIVERSION.
- SURFACE REINSTATEMENT**
13. ALL OPENING AND REINSTATEMENT OF CARRIAGEWAYS, FOOTWAYS & LANDSCAPED AREAS IN FULL COMPLIANCE WITH "GUIDELINES FOR MANAGING OPENINGS IN PUBLIC ROADS" AKA "THE PURPLE BOOK".
 14. REINSTATEMENT SHALL BE TO STANDARD DRAWINGS NO'S SD1 TO SD 14 OF "THE PURPLE BOOK".
- GENERAL**
15. THE CONTRACTOR IS TO MAKE THEMSELVES FAMILIAR WITH THE SITE AND CONFIRM THE POSITIONING OF INFRASTRUCTURE BEFORE COMMENCING THE WORKS.
 16. IN THE EVENT OF ANY DOUBT REGARDING ANY ITEM OF DESIGN, SPECIFICATION OR CONSTRUCTION DETAIL, CONSULT THE EMPLOYERS' REPRESENTATIVE OR RESIDENT ENGINEER FOR GUIDANCE.
 17. DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS. CONTRACTOR IS TO CHECK ALL DIMENSIONS ON SITE PRIOR TO COMMENCEMENT OF WORKS. ANY DISCREPANCIES ARE TO BE REFERRED TO THE ENGINEER.
 18. COPYRIGHT: THE DESIGN AND DETAILS SHOWN ON THIS DRAWING ARE APPLICABLE TO THIS PROJECT ONLY AND MAY NOT BE REPRODUCED IN WHOLE OR IN PART OR TO BE USED FOR ANY OTHER PROJECT OR PURPOSE WITHOUT WRITTEN PERMISSION OF GALWAY COUNTY COUNCIL WITH WHOM COPYRIGHT RESIDES

- KEY:**
- KASSEL KERB (INCLUDES TRANSITION KERBS) - 160mm HIGH BY KILLESHAL CONCRETE OR EQUIV. LAID IN 700mmW x 150mmD HAUNCH OF C16 / 20 CONCRETE.
 - PRECAST/IN-SITU KERB (125mm UPSTAND) TYPE A TO CC-SCD-01109
 - PRECAST/IN-SITU KERB (TRANSITION KERB)
 - PROPOSED GULLY TO TII-CC-SCD00510 & 05144
 - ▨ REINSTATEMENT OF PAVEMENT TO PURPLE BOOK SD-6
 - TYPE 1 CONCRETE FOOTWAY TO TII CC-SCD-01105
 - ▨ EXISTING BUILDING (FOR INDICATIVE PURPOSES)
 - EXISTING BOUNDARY (FOR INDICATIVE PURPOSES)

REVISIONS

NO.	REVISION	DESCRIPTION	BY	DATE



ROADS & TRANSPORTATION

PROJECT:
BUS STOP & SHELTER PROGRAMME

DRAWING TITLE: GENERAL ARRANGEMENT - HEADFORD	STATUS: SECTION 38
DRAWN BY: DG	CHECKED BY: JC
APPROVED BY: PH	DATE: 19/09/2024
SCALE: 1:100 @ A3	DRAWING NO.: GCO/24/0001-TI-DWG-008-A
REVISION: P01	