


FOOTPATH TO HAVE LIGHT _ BRUSHED SURFACE TO CLASS U4 FOOTH PATH LEVEL A252 MESH STOPPED 50mm EITHER 125mm X 10mm COMPRESSIBLE BOARD WITH TAR SEALANT 100mm MARGIN WITH 12mm DIA. M.S. DOWEL BARS AT __600mm C./C. WITH ONE SIDE FULLY **BULLNOSE EDGE** SURROUNDING CONC. SLAB DEBONDED.


TYPICAL FOOTPATH EXPANSION JOINT - MIN. @ 12m CTRS Scale 1:25

Scale 1:25




TYPICAL FOOTPATH COUNSTRUCTION/ **CONSTRUCTION JOINT - MIN. 3m CTRS** Scale 1:25

450mm (MINIMUM) CLAUSE 6F2 CAPPING LAYER ON COMBIGRID 40/40 GRK 4 C OR EQUIVALENT




TYPICAL LIGHTING POST FOUNDATION DETAIL scale 1:50


Proposed Carriageway Precast Concrete Kerb to - CC-SCD-01101 - Type A Precast Concrete Kerb to _ CC-SCD-01101 - Type A 100mm Center Line Road Marking Crossfall 2.5% Crossfall 2.5% 40mm 10AC CLAUSE SURF 70/100 WEARING COURSE 60mm AC 20 DBM BIN 70/100 DES BINDER COURSE TYPICAL ROAD CROSS SECTION 150mm CLAUSE 804 SUB-BASE









ROAD SIGN DETAILS



SURFACING INTERFACE DETAIL, EXISTING / PROPOSED ASPHALT Scale 1:25

FOOTHPATH AS





NOTES:

CENTRAL KERBS TO BE 6mm ABOVE CARRIAGEWAY

DROPPED KERB DETAILS

FOOTPATH AS SPECIFIED

STANDARD KERB

CARRIAGEWAY AS SPECIFIED

DROPPER KERB

SURFACE

- FIGURED DIMENSIONS ONLY TO BE TAKEN FROM THIS DRAWING.
 ALL DRAWINGS TO BE CHECKED BY THE
- CONTRACTOR ON SITE 3. ENGINEER/EMPLOYERS REPRESENTATIVE, AS APPROPRIATE, TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES
- BEFORE ANY WORK COMMENCES 4. THE CONTRACTOR SHALL UNDERTAKE A THOROUGH CHECK FOR THE ACTUAL LOCATION OF ALL SERVICES/UTILITIES, ABOVE AND BELOW GROUND, BEFORE ANY
- WORK COMMENCES 5. ALL LEVELS SHOWN RELATE TO ORDNANCE SURVEY DATUM AT MALIN HEAD

P1	12.05.2021	Issue For Planning	SB	MG
Rev	Date	Description	Ву	Chkd.

Galway County Council

Housing Development Maigh Cuilinn, Co. Galway

Site Development Details

As Shown Checked: Prepared by: Date: MG May 21 Project Director: Michael McDonnell Drawing Status:

Planning

TOBIN Consulting Engineers, Fairgreen House, Fairgreen Road, Galway, Ireland.

tel: +353-(0)91-565211 fax:+353-(0)91-565398 e-mail: galway@tobin.ie www.tobin.ie