

- NOTES A:**
1. FENCES SHALL BE CONSTRUCTED AND ERECTED IN ACCORDANCE WITH IS. 435: 2005 EXCEPT WHERE OTHERWISE SHOWN.
 2. ANY LENGTH OF FENCING (INCLUDING BRANCHES AND SPURS) SHALL START WITH A POST AND END WITH A POST. AN ADDITIONAL POST SHALL BE PROVIDED AT FENCE JUNCTIONS AND AT FENCE CORNERS.
 3. POST HOLES FALLING IN ROCK SHALL BE EXCAVATED TO THE DEPTH SHOWN ON THIS DRAWING OR, SUBJECT TO AGREEMENT WITH THE EMPLOYER'S REPRESENTATIVE, TO A DEPTH OF 500mm, AND SHALL BE BACKFILLED WITH MIX ST2 CONCRETE. WHERE A REDUCED DEPTH OF HOLE IS AGREED, THE TOP OF THE POST SHALL BE SUITABLY CUT AND TREATED IN ACCORDANCE WITH THE RECOMMENDATIONS OF I.S. 435: 2005.
 4. FENCE POST AND RAIL SHALL BE TREATED WITH PRESERVATIVE IN ACCORDANCE WITH THE REQUIREMENTS OF CC-SPW-00300 AND APPENDIX B OF I.S. 435-1: 2005.
 5. CONCRETE FOUNDATIONS TO POSTS SHALL BE PROVIDED WHERE STATED IN APPENDIX 3/1.
 6. WHERE SIDELONG GROUND SLOPES DOWN TOWARDS THE FENCE AT A SLOPE GREATER THAN 1:4, THEN THE PERMANENT FENCING POST HEIGHT SHALL BE INCREASED BY A MINIMUM OF 250mm AND AN ADDITIONAL RAIL ADDED.

FIXING:
 FIXING IN ACCORDANCE WITH I.S. 435-3, 2005,
 NOTES 13 AND 14 AND SECTION 4.4 OF I.S. 435-3, 2005


NOTES B:
 CHAINLINK MESH SHALL BE 1300mm WIDE, 50mm MESH MADE OF 2.25/3.15mm DIAM. PLASTIC COATED GALVANISED MILD MESH STEEL WIRE TO IS EN 10223-6.

SYMBOL	DESCRIPTION
--------	-------------

LEGEND ABOVE

DRAWING STATUS

Proposal drawn by Galway County Council





GALWAY COUNTY COUNCIL
 Comhairle Chontae na Gaillimhe
 Environmental Department
 County Hall, Prospect Hill, Galway
 091 509510
 Email: Environment@galwaycoco.ie
 Web www.galway.ie

Proposed Extension to Duniry Burial Ground

Folio Number	TOWNLAND
GY40393F	Cartron

Drawing Number	Note
E082022-4-04	All Dimensions are in meters

SCALES @A3	DATE
Not to Scale	02/08/2022

 TII Rannagair Iompar Fianann Transport Infrastructure Ireland	 Construction & Commissioning	PUBLICATION TITLE FENCING TIMBER POST AND RAIL FENCE			
		HISTORICAL REFERENCE RCD/300/1	DOCUMENTATION SET STANDARDS	PUBLICATION DATE JANUARY 2009	PUBLICATION NUMBER ACTIVITY: CC STREAM: SCD DRAWING NUMBER: 00301
STREAM STANDARD CONSTRUCTION DETAILS (SCD)					